

**To:** Patnode, Kathleen[kathleen\_patnode@fws.gov]  
**From:** Ham, Greg  
**Sent:** Tue 6/16/2015 10:21:51 AM  
**Subject:** FW: Draft SAP for Miller Chemical  
[DRAFT SAP - Miller Chemical - June 2015.docx](#)  
[ATT00001.htm](#)  
[Appendix A - FINAL HASP - Miller Chemical - June 2015.pdf](#)  
[ATT00002.htm](#)  
[Figures - SAP Figures.pdf](#)  
[ATT00003.htm](#)

Here is the sampling plan from Millers' consultant.

**From:** Ham, Greg  
**Sent:** Friday, June 12, 2015 1:14 PM  
**To:** David Scerbo  
**Subject:** Fwd: Draft SAP for Miller Chemical

Dave this is a draft plan from consultants working for Miller for sampling of surface water. You may be able to use some of this info.

Sent from my iPhone

Begin forwarded message:

**From:** "Moore, Brian" <briamoore@pa.gov>  
**To:** "Ham, Greg" <Ham.Greg@epa.gov>  
**Subject:** FW: Draft SAP for Miller Chemical

---

From: Landis, Victor  
Sent: Thursday, June 11, 2015 5:36:19 PM  
To: Nesmith, Rodney; Moore, Brian; Conrad, Robert  
Subject: FW: Draft SAP for Miller Chemical

Just got this....

Victor H. Landis | Environmental Group Manager  
Department of Environmental Protection  
Southcentral Regional Office  
909 Elmerton Avenue | Harrisburg, PA 17110

Phone: 717.705.4789 | Fax: 717.705.4760  
24-Hour Emergency Response: 866-825-0208  
[www.depweb.state.pa.us](http://www.depweb.state.pa.us)

From: Jason Miller [<mailto:JMiller@environcorp.com>]  
Sent: Thursday, June 11, 2015 5:28 PM  
To: Landis, Victor  
Cc: Sarah Stoneking; Chris Bowles  
Subject: Draft SAP for Miller Chemical

Victor,

As we discussed, I've attached a draft SAP for surface water sampling at the Miller Chemical site. As you see, we're proposing to begin sampling tomorrow with a limited sample set and follow-up on Sunday with the full analytical suite that we discussed earlier.

Our thought process there is that with the weekend coming we won't see results from tomorrow's sampling until Tuesday (even with a next day turn), and we can get results from Sunday's samples on Tuesday as well. Waiting until Sunday to sample for all analytes therefore doesn't slow down our data receipt or your decision making and gives us a couple of days for the streams to continue flushing. Let me know if you have any comments or questions. Have a good evening.

**Ex. 4 - CBI**

Principal

D +1 703 5162307

M +1 703 2166798

**Ex. 4 - CBI**

[@environcorp.com](mailto:JMiller@environcorp.com)>

---

Ramboll Environ  
4350 North Fairfax Drive  
Suite 300  
Arlington, VA 22203  
[www.ramboll-environ.com](http://www.ramboll-environ.com)<<http://www.ramboll-environ.com>>

[[cid:447c67db-54f7-4f99-827e-d9a4ff09a0d8@ENVIRONCORP.INT](mailto:cid:447c67db-54f7-4f99-827e-d9a4ff09a0d8@ENVIRONCORP.INT)]

---

This message contains information that may be confidential, privileged or otherwise protected by law from disclosure. It is intended for the exclusive use of the Addressee(s). Unless you are the addressee or authorized agent of the addressee, you may not review, copy, distribute or disclose to anyone the message or any information contained within. If you have received this message in error, please contact the sender by electronic reply to [email@environcorp.com](mailto:email@environcorp.com)<<mailto:email@environcorp.com>> and immediately delete all copies of the message.